



ASO + M3 Works Model State Update

Cache la Poudre River Basin

Model date: May 22, 2023



Historical data and reports can be found at:
data.airbornesnowobservatories.com

CACHE LA POUDRE RIVER BASIN MAY 22, 2023 MODEL STATE UPDATE

The purpose of this report is to show the changes to the model during the ingestion of the ASO measured snow depth product.

Current model date: May 22, 2023

Model Total Snow Water Equivalent: 119.6 TAF

Model Mean Snow Water Equivalent: 5.5 in.

Model Mean Cold Content: 0.0 MJ/m²

Changes to model during ASO survey data ingest



Model reporting period: May 21 - May 22, 2023

Change in Total Snow Water Equivalent: -23.5 TAF

Change in Mean Snow Water Equivalent: -1.1 in.

Accumulated Total Surface Water Input: 10.5 TAF

Change in Mean Cold Content: -0.0 MJ/m²



DESCRIPTION	TOTAL
Mean SWE in.	5.5
Total SWE TAF	119.6

The model has been updated with ASO survey data, a brief summary of the changes to the model are provided:

May 22 update summary: removed 23.5 TAF of Snow Water Equivalent

Model changes during ASO survey data ingest




Fig.3 Change in Snow Water Equivalent from 2023-05-21 to 2023-05-22

The acquisition on 05/22 had a negligible change in the total snow-covered-area in the model, and the basin total SWE in the model decreased by 23.5 TAF.

State of the Snowpack

Interpretation Notes

Elevation bands are in increments of 1000 ft, e.g., 4000 is 4000 - 5000 ft.

Mean SWE is calculated over the total basin area. Mean cold content is calculated over the snow covered area to reflect the ripeness of the existing snowpack.

Surface Water Input (SWI) includes liquid water leaving the bottom of the snowpack and rain on bare ground.

Forcing data is created with the Spatial Modeling for Resources Framework (SMRF) using the High Resolution Rapid Refresh (HRRR) output fields as inputs. The HRRR data is locally optimized for mass input to the basin.

The darker grey shading in the spatial figures displays where vegetation parameters have been adjusted to account for altered energy dynamics due to fire damage.

Model changes during ASO survey updates include both changes due to the depth update and model state changes from running the model over the period containing the depth update.

Model Results




Fig.4 Water Year timeseries. Vertical lines indicated ASO survey dates.




Fig.5 Snow Water Equivalent as of 2023-05-22




Fig.6 Accumulated Surface Water Input from 2023-05-21 to 2023-05-22




Fig.7 Cold Content as of 2023-05-22

Very little cold content remains in the Cache la Poudre River basin. Approximately 0% of the basin SWE is un-ripe.

Model to station comparisons are a comparison of 50 meter cells to a point within the basin. Some differences are expected when comparing modeled and measured snowpack behavior at these different spatial scales. ASO 3m snow depth measurements at each station are indicated by the red '+' symbols. Absence of these symbols indicates that the station location or data quality are suspect, and they were not used in the ASO survey validation and report.




Fig.8 Comparison of modeled and measured Snow Depth. Comparisons of model pixels to measured station data are performed with the 9 nearest model pixels to give a more spatially complete view of model behavior.

Model Description

Modeled data is generated using the Automated Water Supply Model (AWSM). Underlying forcing data is sourced from the High Resolution Rapid Refresh model (HRRR). AWSM simulates the snowpack state using the physically based, distributed energy and mass balance snow model, iSnoBal.

For more information on the Airborne Snow Observatories Inc. visit airbornesnowobservatories.com.

More information about M3 Works can be found at m3works.io.

Additional Details

Total Snow Water Equivalent values (TAF) on 2023-05-22

ELEVATION RANGE	TOTAL
8000 - 8999	0.0
9000 - 9999	3.3
10000 - 10999	58.7
11000 - 11999	52.2
12000 - 12999	5.1
13000 - 13999	0.3

Accumulated Total Surface Water Input values (TAF) from 2023-05-21 to 2023-05-22

ELEVATION RANGE	TOTAL
6000 - 6999	0.0
7000 - 7999	0.0
8000 - 8999	0.0
9000 - 9999	1.8
10000 - 10999	5.7
11000 - 11999	2.8
12000 - 12999	0.2
13000 - 13999	0.0